

PORTABLE RADIOS VHF UHF

Waterproof for Critical Communications



Entel



THE CONSTRUCTION



THE MINING

PORTABLE RADIOS VHF UHF

Waterproof for Critical Communications



Entel
HX422 VHF
HX482 UHF

- INDUSTRIAL RADIO VHF or UHF GRADE IP55 / IP65 A HUMIDITY PROOF
- FREQUENCY RANGE: VHF 136-174 MHZ or UHF 400-470 MHZ
- POWER: 5W in VHF or UHF
- CHANNELS: 16
- CHANNEL SPACING: 12.5 / 25 KHZ
- BATTERY: ION LITION 2000 mAh
- BATTERY LIFE IN OPERATION CYCLE: 16 HOURS
- WEIGHT: 274 GRS (WITH BATTERY)
- SIZE: 61 X 100 X 31 mm
- INCLUDES: BATTERY, CHARGER, ANTENNA, CLIP
- EXCEED MILITARY STANDARD MIL STD 810 / C / D / E / F



Entel
HX425 VHF
HX485 UHF

- INDUSTRIAL RADIO VHF or UHF GRADE IP55 / IP65 A HUMIDITY PROOF
- FREQUENCY RANGE: VHF 136-174 MHZ or UHF 400-470 MHZ
- POWER: 5W in VHF or UHF
- CHANNELS: 255
- CHANNEL SPACING: 12.5 / 25 KHZ
- BATTERY: ION LITION 2000 mAh
- BATTERY LIFE IN OPERATION CYCLE: 16 HOURS
- WEIGHT: 274 GRS (WITH BATTERY)
- SIZE: 61 X 100 X 31 mm
- INCLUDES: BATTERY, CHARGER, ANTENNA, CLIP
- EXCEED MILITARY STANDARD MIL STD 810 / C / D / E / F



Entel
HT723 VHF
HT783 UHF

- HEAVY DUTY INDUSTRIAL RADIO VHF or UHF, IP68 SUBMERSIBLE TO 2 METERS X 4HRS
- FREQUENCY RANGE: VHF 136-174 MHZ or UHF 400-470 MHZ
- POWER: 5W IN VHF, 4W IN UHF
- CHANNELS: 255
- CHANNEL SPACING: 12.5 / 25 KHZ
- BATTERY: ION LITION 2000 mAh
- DURATION BATTERY IN OPERATION CYCLE: 16 HOURS
- WEIGHT: 277 GRS (WITH BATTERY)
- SIZE: 59.5 X 130 X 37 mm
- INCLUDES: BATTERY, CHARGER, ANTENNA, CLIP
- EXCEED MILITARY STANDARD MIL STD 810 / C / D / E / F

INTRINSICALLY SAFE PORTABLE RADIOS VHF UHF For Explosion Risk Areas



ATEX

ZONA 1 GRUPO IIC

Entel



SEAPORTS



PETROCHEMICAL PLANTS

INTRINSICALLY SAFE PORTABLE RADIOS VHF UHF

For Explosion Risk Areas



HT942 VHF
HT982 UHF

- INTRINSICALLY SAFE RADIO ATEX (II 2 G Ex ib IIC T4)
- INDUSTRIAL TYPE HEAVY DUTY VHF or UHF, IP68 SUBMERSIBLE 2 METERS X 4HRS
- FREQUENCY RANGE: VHF 136-174 MHZ or UHF 400-470 MHZ
- OUTPUT POWER: 5W IN VHF, 4W IN UHF
- ATEX IIC OUTPUT POWER: 1W
- CHANNELS: 16
- CHANNEL SPACING: 12.5 / 25 KHZ
- ATEX & IECEX BATTERY: ION LITION 1800 mAh
- DURATION BATTERY IN OPERATION CYCLE: 14 HOURS
- WEIGHT: 277 GRS. (WITH BATTERY)
- SIZE: 59.5 X 130 X 37 mm
- INCLUDES: BATTERY, CHARGER, ANTENNA, CLIP
- EXCEED MILITARY STANDARD MIL STD 810 / C / D / E / F



HT944 VHF
HT983 UHF

- INTRINSICALLY SAFE RADIO ATEX (II 2 G Ex ib IIC T4)
- INDUSTRIAL TYPE HEAVY DUTY VHF or UHF, IP68 SUBMERSIBLE 2 METERS X 4HRS
- FREQUENCY RANGE: VHF 136-174 MHZ or UHF 400-470 MHZ
- OUTPUT POWER: 5W IN VHF, 4W IN UHF
- ATEX IIC OUTPUT POWER: 1W
- CHANNELS: 255
- CHANNEL SPACING: 12.5 / 25 KHZ
- ATEX & IECEX BATTERY: ION LITION 1800 mAh
- DURATION BATTERY IN OPERATION CYCLE: 14 HOURS
- WEIGHT: 277 GRS. (WITH BATTERY)
- SIZE: 59.5 X 130 X 37 mm
- INCLUDES: BATTERY, CHARGER, ANTENNA, CLIP
- EXCEED MILITARY STANDARD MIL STD 810 / C / D / E / F



Technowired México

Lago de Chapala 123 Col. Roma
C.P. 64700 Monterrey,
Nuevo Leon, Mexico
Tel : +5281-1234-3030
Email: info@technowired.net



**TECHNO
WIRED**

Technowired USA.

3783 Spanish Fine St.
Sarasota, Florida 34238 USA
Tel. +1-941-893-2696
Email: info@technowired.net